



## CERTIFICATE OF QUALITY

Page : 1/1  
Date of issue : July 05<sup>th</sup>, 2010

<b>1.</b>	<b>PRODUCT NAME</b>  <b>U N I G R U N D    Acrylic Slurry Prime Coat</b>
<b>2.</b>	<b>GENERAL DESCRIPTION</b> Special acrylic undercoat ( key coat ) before applying acrylic, silicate and silicon renders ( texture finishes ).
<b>3.</b>	<b>COMPOSITION</b> Water – based polymers, cellulose ether, extenders, special additives.
<b>4.</b>	<b>PHYSICAL AND CHEMICAL PROPERTIES</b> 4.1. APPEARANCE : viscous liquid 4.2. COLOUR : white, colour shades 4.3. DENSITY ( kg/dm <sup>3</sup> /20°C ) : app. 1,20 4.4. pH ( 20°C ) : 8,5 – 10,0 4.5. FLASH POINT : / 4.6. SOLID CONTENT ( % ) : 43,0 – 48,0 4.7. VOC : max. 2 g/l
<b>5.</b>	<b>HAZARDS IDENTIFICATION</b> This product is classified as NOT HAZARDOUS according to EC – directive EU 1999/45/EC.
<b>6.</b>	<b>TEST REPORTS</b> /
<b>7.</b>	<b>The document was issued with the intention to prove the quality of the product according to specific requirements.</b>

**R&D Coordination Manager**  
**Damjan Saksida, B. Sc. Chem. Techn.**  




JUB d.o.o.  
Dol pri Ljubljani 28  
SI-1262 Dol pri Ljubljani  
Slovenija