

## **CERTIFICATE OF QUALITY**

Page: 1/1
Date of issue: 02/15/2013

1. PRODUCT NAME

**ACRYLCOLOR** 

Acrylic façade paint

2. AREA OF APPLICATION

Paint for decorative protection of finely plastered and rendered façade surfaces.

3. COMPOSITION

Emulsion paint on the base of an aqueous dispersion of polymers, cellulose thickener, titanium dioxide, fillers, special additives.

4. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE: liquid

COLOUR: white, colour shades DENSITY (kg/dm³/20°C): about 1.52

pH (20°C): 9.0 – 11.0 FLASH POINT: /

CONTENT OF SOLIDS: 63.0 - 68.5 %

WVTR: Sd < 0.30m with d=100  $\mu$ m (EN ISO 7783-2, class 2, medium range) WATER ABSORPTION: (kg/m²min<sup>0.5</sup>): W<sub>24h</sub> < 0.10 (EN 1062-3, class 3, low)

ADHESION (substrate: concrete): >3.00 N/mm<sup>2</sup> (EN 1542) OPACITY: class 3 with a coverage of 10 m<sup>2</sup>/L (EN 13300)

GLOSS: matt (EN 13300) VOC: max. 25.0 g/L

5. HAZARDOUS IDENTIFICATION

Under the criteria which are defined by the regulation **Classification**, **packaging and labelling of dangerous substances** harmonised with the directives DSD EU 67/458/EC and DPD 1999/45/EC, and according to REACH 1907/2006/EC and CLP 1272/2008/EC, the chemical composite as a product is

Not Classified as a dangerous preparation.

6. TEST REPORTS

ZAG Ljubljana, report no. P1180/2000 – 460/5, 03/06/2001 FPL Stuttgart, report no. AT 026d/03; 07/17/2003 (reprint 04/25/2008)

7. We assure that the characteristics of this product meet the specified requirements. This document was issued with the intention to prove the quality of the product according to specific requirements. In case of essential changes of the properties under point 4, a new certificate shall be issued.

Responsible : Head of research field Name and surname

Dr. Petra Živec, univ.dipl.kem.



