


CERTIFICATE OF QUALITY

Page: 1/1

Date of issue : July 5th, 2010

1.	PRODUCT NAME SILICATE TROWELLED RENDER 2.0 and 2.5
2.	GENERAL DESCRIPTION Exterior waterborne decorative render with distinctively grooved surface, similar to the oak bark.
3.	COMPOSITION Water – based polymers, potash water glass (potassium silicate), cellulose ether, titanium dioxide, extenders, sand, special additives.
4.	PHYSICAL AND CHEMICAL PROPERTIES
4.1.	APPEARANCE : paste
4.2.	COLOUR : white, color shades
4.3.	DENSITY (kg/dm ³ /20°C) : 1,70 – 1,90
4.4.	pH (20°C) : 9,5 – 11,5
4.5.	FLASH POINT : /
4.6.	SOLIDS CONTENT (%) : 81,0 – 87,0
4.7.	WVTR μ (-) : $\mu < 50$
4.8.	VALUE Sd (m), d = 2,0 mm : Sd < 0,10 (EN ISO 7783 – 2 , Class 1, high)
4.9.	LIQUID WATER PERMEABILITY (kg/m ² h ^{0.5}) : W _{24 h} < 0,10 (EN 1062 – 3, Class 3, low)
4.10.	ADHESION TO MINERAL RENDER (N/mm ²) : > 0,30 (EN 1542)
5.	HAZARDS IDENTIFICATION This product is classified as NOT HAZARDOUS according to EC – directive EU 1999/45/EC.
6.	TEST REPORTS ZAG Ljubljana, Report P 355/02 – 460 – 5 , 14.06.2004
7.	The document was issued with the intention to prove the quality of the product according to specific requirements.
	<div style="display: flex; justify-content: space-between; align-items: flex-start;"> <div style="width: 45%;"> <p>R&D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.</p> <p><i>Saksida</i></p> </div> <div style="width: 45%; text-align: center;">  <p>JUB d.o.o. Dol pri Ljubljani 28 SI-1262 Dol pri Ljubljani Slovenija</p> <p style="font-size: small;">10</p> </div> </div>