


**CERTIFICATE OF QUALITY**Page: 1/1  
Date of issue : July 5<sup>th</sup>, 2010

<b>1. PRODUCT NAME</b>
<b>ACRYLIC TROWELLED RENDER 2.0 and 2.5</b>
<b>2. GENERAL DESCRIPTION</b>
Exterior waterborne decorative render with distinctively grooved surface, similar to the oak bark.
<b>3. COMPOSITION</b>
Water – based polymers, cellulose ether, titanium dioxide, extenders, sand, special additives.
<b>4. PHYSICAL AND CHEMICAL PROPERTIES</b>
4.1. APPEARANCE : paste
4.2. COLOUR : white, color shades
4.3. DENSITY ( kg/dm <sup>3</sup> /20°C ) : 1,50 – 1,90
4.4. pH ( 20°C ) : 9,0 – 10,5
4.5. FLASH POINT : /
4.6. SOLIDS CONTENT ( % ) : 80,0 – 86,0
4.7. WVTR $\mu$ ( - ) : $\mu < 165$
4.8. VALUE Sd ( m ), d = 2,0 mm : Sd < 0,35 ( EN ISO 7783 – 2 , Class 2, medium )
4.9. LIQUID WATER PERMEABILITY ( kg/m <sup>2</sup> h <sup>0.5</sup> ) : W <sub>24h</sub> < 0,10 ( EN 1062 – 3, Class 3, low )
4.10. ADHESION TO MINERAL RENDER ( N/mm <sup>2</sup> ) : > 0,30 ( EN 1542 )
<b>5. HAZARDS IDENTIFICATION</b>
This product is classified as NOT HAZARDOUS according to EC – directive EU 1999/45/EC.
<b>6. TEST REPORTS</b>
ZAG Ljubljana, Report P 355/02 – 460 – 5 , 14.06.2004
<b>7. The document was issued with the intention to prove the quality of the product according to specific requirements.</b>
<p>R&amp;D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.</p> <p><i>Saksida</i></p> <div style="text-align: right;">             JUB d.o.o.            Dol pri Ljubljani 28            SI-1262 Dol pri Ljubljani            Slovenija         </div>