

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 20.05.2016

Revision: 19.05.2016

1.1 Product identifier	
Trade name: <u>AKRINO</u>	L SUPER GRIP
Article number: ASG 1.2 Relevant identified	uses of the substance or mixture and uses advised against
Sector of Use SU19 B Product category PC9a Coatings and pa AKRINOL SUPER GR Liquid product is of blu Process category PROC Environmental release ERC10a Wide dispers Application of the subs Coating compound/ Sun The product AKRINOL used as a foundation ceramic linings, very	C10 Roller application or brushing category ive outdoor use of long-life articles and materials with low release tance / the mixture
1.3 Details of the suppl Manufacturer/Supplier	blication of levelling compounds. Ster of the safety data sheet
JUB d.o.o. Dol pri Ljubljani 28 1262 DOL PRI LJUBL SLOVENIA T: + 386 1 5884 183	IANI
F: + 386 1 5884 250 E: info@jub.si	
Further information of	btainable from:
<i>TRC JUB</i> <i>Branko Petrovic, MSc</i> <i>T:</i> +386 1 5884 185 <i>F:</i> +386 1 5884 227 <i>E:</i> branko.petrovic@jut 1.4 Emergency telepho During normal opening	
Emergency number: 11	

(Contd. on page 2)

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

(Contd. of page 1)

	ON 2: Hazards identification
The prod chemica and relat	<i>ification of the substance or mixture</i> <i>fuct is classified as a dangerous irritating compound according to the regulations on classification</i> <i>fs (rule books on classification and in particular the EU directives EU 1967/548/ES in 1999/45/E</i> <i>ed to the Regulation CLP 2008/1272/ES).</i>
Classific	ation according to Regulation (EC) No 1272/2008
	GHS07
Skin Sen	s. 1 H317 May cause an allergic skin reaction.
	ation according to Directive 67/548/EEC or Directive 1999/45/EC Sensitising
R43: 1	<i>Iay cause sensitisation by skin contact.</i>
	tion concerning particular hazards for human and environment:
preparat	luct has to be labelled due to the calculation procedure of the "General Classification guideline fo ions of the EU" in the latest valid version. ation system:
	sification is according to the latest editions of the EU-lists, and extended by company and literatur
2.2 Labe	l elements
Labellin	g according to Regulation (EC) No 1272/2008
	uct is classified and labelled according to the CLP regulation. victograms
GHS07	
Signal w	ord Warning
reaction	letermining components of labelling:
	mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-2 no. 220-239-6] (3:1)
-	no. 220-239-6] (3:1) tatements
Н317 Ма	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction.
H317 Ma Precauti	no. 220-239-6] (3:1) tatements ny cause an allergic skin reaction. conary statements
H317 Ma Precauti P101	no. 220-239-6] (3:1) tatements iy cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand.
H317 Ma Precauti	no. 220-239-6] (3:1) tatements ny cause an allergic skin reaction. conary statements
H317 Ma Precauti P101 P102 P103 P261	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray.
H317 Ma Precauti P101 P102 P103 P261 P280	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection.
H317 Ma Precauti P101 P102 P103 P261 P280 P321	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label).
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P. P302+P.	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water.
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P P302+P P501	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water.
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P P302+P P501 Addition Contains	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. al information: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P. P302+P. P501 Addition Contains Safety da	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. al information: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. ta sheet available on request.
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P. P302+P. P501 Addition Contains Safety da 2.3 Othe	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 813 If skin irritation or rash occurs: Get medical advice/attention. 852 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. al information: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. ta sheet available on request. r hazards
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P P302+P P501 Addition Contains Safety da 2.3 Othe Results of	no. 220-239-6] (3:1) tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 313 If skin irritation or rash occurs: Get medical advice/attention. 352 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. al information: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. ta sheet available on request. r hazards f PBT and vPvB assessment
H317 Ma Precauti P101 P102 P103 P261 P280 P321 P333+P P302+P P501 Addition Contains Safety da 2.3 Othe Results of	 tatements ty cause an allergic skin reaction. onary statements If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear protective gloves/protective clothing/eye protection/face protection. Specific treatment (see on this label). 313 If skin irritation or rash occurs: Get medical advice/attention. 352 IF ON SKIN: Wash with plenty of water. Dispose of contents/container in accordance with local/regional/national/international regulations. al information: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. ta sheet available on request.

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

· **vPvB:** Not applicable.

(Contd. of page 2)

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

The product AKRINOL SUPER GRIP is a chemical compound of polymeric emulsion and inorganic fillers. Main ingredients of the coat are the following: styrene-acrylate binders, fine and rough silicate fillers, cellulose thickening agent and fibres, additives and water.

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Xn R22; Xi R38-41; Xi R43; ½ N R50 ⇒ Eye Dam. 1, H318; → Aquatic Acute 1, H400; 小 Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317	< 0.02%
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500- 7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	< 0.003%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Q T R24/25; E C R34; X Xi R43 ≪ Acute Tox. 3, H301; Acute Tox. 3, H311; ≪ Skin Corr. 1B, H314; () Skin Sens. 1, H317	< 0.02%

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- \cdot Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

• 6.2 Environmental precautions: Dilute with plenty of water.

In case of gas release or seepage into the ground inform responsible authorities.

(Contd. on page 4)

GB

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

	(Contd. of page 3)
Do not allow to enter sewers/ surface or ground water.	
· 6.3 Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust,).
Ensure adequate ventilation.	
· 6.4 Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

· Information about storage in one common storage facility:

- Do not store together with reducing agents, heavy-metal compounds, acids and alkalis. • Further information about storage conditions:
- Store under lock and key and with access restricted to technical experts or their assistants only.
- · Storage class: Storage class: 12 Incombustible products
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

2682-20-4 2-methyl-2H-isothiazol-3-one (0.02%)

WEL Long-term value: 0.05 mg/m3

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (0.003%)

WEL Long-term value: 0.05 mg/m3

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 5)

GB

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

(Contd. of page 4) Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling

· Risk management measures

It is recommended to use high-quality work clothing and protective equipment. Use only outfits that meet the following standards:

- Protective gloves that meet the criteria of BS EN 374.

- Protective goggles must comply with standard BS EN 166.

- Protective mask respirator for small dust particles must conform to standard BS EN 149.

SECTION 9: Physical and chemical properties

• 9.1 Information on	basic pl	hysical	and c	chemical	properties
----------------------	----------	---------	-------	----------	------------

General Information		
Appearance:		
Form:	Fluid	
Colour:	Blue	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
· pH-value at 20 °C:	9	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 •C:	1.1 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wat	er): Not determined.	
		on page

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

	(Contd. of page
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
VOC(EC)	0.20 %
	The content of VOC: max. 2 g/L VOC
	In accordance with the Directive 2004/42/EC the products is a coating of category A/g. EU VOC (cat. A/g) 30 g/l (2010)
Solids content:	16 %
• 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

oral. > 2000 mg/kg (rat)

dermal. > 2000 mg/kg(rat)

inhal. > 2 mg/kg, 4h (rat)

• Primary irritant effect:

- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation
- May cause an allergic skin reaction.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$
- $\cdot \textit{STOT-single exposure Based on available data, the classification criteria are not met.}$
- $\cdot \textbf{STOT-repeated exposure} Based on available data, the classification criteria are not met.$
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 7)

GB

Printing date 20.05.2016

Revision: 19.05.2016

(Contd. of page 6)

Trade name: AKRINOL SUPER GRIP

- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

15 01 02 plastic packaging

· Uncleaned packaging:

- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN-Number	The product is not a substance or mixture classified in
	accordance with the provisions of ADR as
ADD ADN IMDC IATA	dangerous for transport. Void
ADR, ADN, IMDG, IATA	Voia
14.2 UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Ann	ex II of
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	-
UN ''Model Regulation'':	Void

(Contd. on page 8)

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

(Contd. of page 7)

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

In accordance with the current regulation the product is classified as a dangerous substance or mixture. General safety measures should be considered when working or handling with the product.

- \cdot Labelling according to Regulation (EC) No 1272/2008 -
- · Chemical safety assessment -
- · Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H331 Toxic if inhaled.
- *H400* Very toxic to aquatic life.
- *H410 Very toxic to aquatic life with long lasting effects.*

R22 Harmful if swallowed.

- R23/24/25 Toxic by inhalation, in contact with skin and if swallowed.
- R24/25 Toxic in contact with skin and if swallowed.
- *R34 Causes burns.*
- R38 Irritating to skin.
- *R41 Risk of serious damage to eyes.*
- *R43 May cause sensitisation by skin contact.*
- *R50 Very toxic to aquatic organisms.*

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. • *Recommended restriction of use*

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

· Department issuing MSDS:

JUB d.o.o.

Product safety department

(Contd. on page 9)

GE

Printing date 20.05.2016

Revision: 19.05.2016

Trade name: AKRINOL SUPER GRIP

	ontd. of page 8)
Contact:	
mag. Branko Petrovič	
TRC-JUB	
branko.petrovic@jub.eu	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning th	ie International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 3: Acute toxicity, Hazard Category 3	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B	
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2	
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1	
Skin Sens. 1: Sensitisation - Skin, Hazard Category 1	
Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1	
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1	
* Data compared to the previous version altered. Version 1.0, 23.11.2015.	
-	GB