


**CERTIFICATE OF QUALITY**Page: 1/1  
Date of issue: April 14<sup>th</sup>, 2010

<b>1. PRODUCT NAME</b>
<b>INTERIOR LIME PAINT Interior Wall Paint</b>
<b>2. GENERAL DESCRIPTION</b>
Interior lime paint intended for painting of lime – cement renders.
<b>3. COMPOSITION</b>
Lime, cellulose ether, fillers, special additives.
<b>4. PHYSICAL AND CHEMICAL PROPERTIES</b>
4.1. APPEARANCE : viscous liquid
4.2. COLOUR : white
4.3. DENSITY ( kg/dm <sup>3</sup> /20°C ) : app.1,50
4.4. pH ( 20°C ) : 12,0 – 13,7
4.5. FLASH POINT : /
4.6. SOLIDS CONTENT ( % ) : 56,5 – 60,5
4.7. WVTR $\mu$ ( - ) : $\mu < 120$
4.8. VALUE Sd ( m ) , d = 150 $\mu$ m : Sd < 0,02 ( EN ISO 7783 – 2 , Class 1, high )
4.9. ADHESION TO MINERAL RENDER : > 0,35 N/mm <sup>2</sup> ( EN 24624 )
4.10. VOC : max. 8,0 g/l
<b>5. HAZARDS IDENTIFICATION</b>
This product is classified as HAZARDOUS according to EC-directive EU 1999/45/EC. <b>Xi</b> , IRRITANT, contains lime.
<b>6. TEST REPORTS</b>
/
<b>7. The document was issued with the intention to prove the quality of the product according to specific requirements.</b>
<p><b>R&amp;D Coordination Manager</b> <b>Damjan Saksida, B. Sc. Chem. Techn.</b></p> <p><i>Saksida</i></p> <div style="text-align: right;">             JUB d.o.o.            Dol pri Ljubljani 28            SI-1262 Dol pri Ljubljani            Slovenija            1         </div>