

Page 1/14

# Safety data sheet according to 1907/2006/EC, Article 31

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: JUPOL Denikol

• **Article number:** 2.000.085 • **UFI:** SAT1-N096-500M-S5HQ

- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Life cycle stages

PW Widespread use by professional workers

C Consumer use

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

SU19 Building and construction work

- · Product category PC9a Coatings and paints, thinners, paint removers
- · Process category PROC10 Roller application or brushing
- Environmental release category ERC10a Widespread use of articles with low release (outdoor)
- · Article category AC4 Stone, plaster, cement, glass and ceramic articles
- · Application of the substance / the mixture

Interior wall paint

Dispersion paint/ Latex paint

- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

JUB d.o.o.

Dol pri Ljubljani 28

1262 DOL PRI LJUBLJANI

**SLOVENIA** 

T: + 386 1 5884 183

F: + 386 1 5884 250

E: info@jub.si

#### · Further information obtainable from:

Laura Učakar

T: +386 1 5884 185

F: +386 1 5884 227

E: laura.ucakar@jub.eu

(Contd. on page 2)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 1)

### · 1.4 Emergency telephone number:

UK Emergency number: 999

Emergency Action: In the event of a medical enquiry involving this product, please contact your doctor or local hospital accident and emergency department.

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

calcium dihydroxide

· Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 3)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 2)

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Additional information:

EUH208 Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

#### · 2.3 Other hazards

- · Results of PBT and vPvB assessment Not applicable.
- PBT: Not applicable.vPvB: Not applicable.
- · Determination of endocrine-disrupting properties Not applicable.

# **SECTION 3: Composition/information on ingredients**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 1305-62-0	calcium dihydroxide	25-50%
EINECS: 215-137-3	Eye Dam. 1, H318	
Reg.nr.: 01-2119475151-45	Škin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1310-73-2	sodium hydroxide	0-≤0.05%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Reg.nr.: 01-2119457892-27	Specific concentration limits:	
	Skin Corr. 1A; H314: C ≥ 5%	
	Skin Corr. 1B; H314: 2 % ≤ C < 5 %	
	Skin Irrit. 2; H315: 0.5 % ≤ C < 2 %	
	Eye Irrit. 2; H319: $0.5 \% \le C < 2 \%$	

(Contd. on page 4)

GB

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

•	(0	Contd. of page 3)
CAS: 7722-88-5	tetrasodium pyrophosphate	≤0.05%
EINECS: 231-767-1	Eye Dam. 1, H318	
	Acute Tox. 4, H302	
	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one	≤0.0015%
	[EC no. 247-500-7] and 2-methyl-4-isothiazolin-3-one	
	[EC no. 220-239-6] (3:1)	
	Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330	
	Skin Corr. 1C, H314; Eye Dam. 1, H318	
	Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1,	
	H410 (M=100)	
	Skin Sens. 1A, H317	
	Specific concentration limits:	
	Skin Corr. 1C; H314: C ≥0.6 %	
	Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 %	
	Eye Dam. 1; H318: C ≥ 0.6 %	
	Eye Irrit. 2; H319: $0.06 \% \le C < 0.6 \%$	
	Skin Sens. 1A; H317: C ≥ 0.0015 %	

<sup>·</sup> Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- · After inhalation:

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Drink plenty of water and provide fresh air. Call for a doctor immediately.

Do not induce vomiting; call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

· 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 5)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 4)

### · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

### · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### **SECTION 6: Accidental release measures**

### · 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# · 6.2 Environmental precautions:

In case of gas release or seepage into the ground inform responsible authorities.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

### · 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

### · 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

### · Information about storage in one common storage facility:

Do not store together with oxidising and acidic materials.

### · Further information about storage conditions:

Protect from frost.

Keep container tightly sealed.

· Storage class: 8 B

(Contd. on page 6)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 5)

· 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace
CAS: 1305-62-0 calcium dihydroxide

CIAS: 1303 02 0 carciam amyaroxid

WEL Short-term value: 4\* mg/m³
Long-term value: 5 1\* mg/m³

\*resprable fraction

CAS: 1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m³

CAS: 7722-88-5 tetrasodium pyrophosphate

WEL Long-term value: 5 mg/m<sup>3</sup>

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment

# · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

## Respiratory protection:

Suitable respiratory protective device recommended.

Short term filter device:

Protective mask should be in accordance with BS EN 14387.

# · Hand protection

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Protective gloves that meet the criteria of BS EN 374.

Check protective gloves prior to each use for their proper condition.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics.

(Contd. on page 7)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 6)

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

## · Eye/face protection

Safety glasses

Goggles recommended during refilling

Protective goggles must comply with standard BS EN 166.

· Body protection: Use protective suit.

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state Colour: White

Odour: Characteristic
 Odour threshold: Not determined.
 Melting point/freezing point: Undetermined.

· Boiling point or initial boiling point and

**boiling range** ≥100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flammability Not applicable.

· Lower and upper explosion limit

Lower: Not determined.
Upper: Not determined.
Flash point: Not applicable.
Decomposition temperature: Not determined.

• pH at 20 °C 11-13.7

· Viscosity:

• **Kinematic viscosity** Not determined. • **Dynamic at 20 °C:** 0-2,000 mPas

· Solubility

water: Fully miscible.Vapour pressure: Not determined.

· Density and/or relative density

• Density at 20 °C: 1.16-1.21 g/cm<sup>3</sup> • Relative density Not determined.

(Contd. on page 8)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

	(Contd. of page
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection	of
health and environment, and on safety.	
<b>Auto-ignition temperature:</b>	Product is not selfigniting.
<b>Explosive properties:</b>	Product does not present an explosion hazard.
<b>Solvent content:</b>	(skladno z direktivo 2004/42/ES je proizvo
	premaz kategorije A/a).
	<1.0 g/l
Water:	71.4 %
VOC (EC)	0.08 %
Information with regard to physical haza classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
<b>Self-reactive substances and mixtures</b>	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
<b>Self-heating substances and mixtures</b>	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
<b>Desensitised explosives</b>	Void

# **SECTION 10: Stability and reactivity**

- $\cdot$  10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.

(Contd. on page 9)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 8)

- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	· LD/LC50 values relevant for classification:		
CAS: 130	CAS: 1305-62-0 calcium dihydroxide		
Oral	LD50	7,340 mg/kg (rat)	
CAS: 131	CAS: 1310-73-2 sodium hydroxide		
Oral	LD50	2,000 mg/kg (rat)	
reaction n	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-4-		
isothiazoli	isothiazolin-3-one [EC no. 220-239-6] (3:1)		
Oral	LD50	49.6-75 mg/kg (rat)	
Dermal	LD50	141 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.33 mg/l (rat)	

- · Skin corrosion/irritation Causes severe skin burns and eye damage.
- · Serious eye damage/irritation Causes serious eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

GB

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 9)

# **SECTION 12: Ecological information**

### · 12.1 Toxicity

#### · Aquatic toxicity:

CAS: 1310-73-2 sodium hydroxide

LC50/ 96 h 45 mg/l (/)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

### **SECTION 13: Disposal considerations**

### · 13.1 Waste treatment methods

Disposal of lime products must be carried out in accordance with legal provisions:

1.Product - unused residue:

If possible, re-use the product (shelf life and storage method are important). In the event of disposal, harden it with sand and dispose of it according to "product - hardened" or deliver it at separate collection of hazardous construction waste, classification number: 17 09 03\* (Other construction and demolition wastes (including mixed wastes) containing hazardous substances)

2.Product - hardened

Prevent entry into drains. Remove hardened material as construction waste. The waste is not hazardous waste, but is inert. Classification number of waste: 17 09 04 (Mixed construction and demolition wastes).

Packaging waste

Packaging waste must be completely emptied and disposed of in accordance with the Decree on packaging and packaging waste handling, classification number: 15 01 02 – Plastic packaging.

(Contd. on page 11)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 10)

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Hand over to hazardous waste disposers.

· European waste catalogue		
08 01 12	waste paint and varnish other than those mentioned in 08 01 11	
15 01 02	plastic packaging	

- · Recommendation: Dispose of packaging according to regulations on the disposal of packagings.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	on	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
14.7 Maritime transport in bulk accord IMO instruments	ling to  Not applicable.	
· UN "Model Regulation":	Void	

# **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Following regulation was considered in the preparation of document:

Legislation on the occupational health and safety, the chemical legislation and regulations on biocidal products, regulations on classification, packaging and labeling of chemical and biocidal products and requirements on safety data sheets for chemicals and biocidal products composition, as well as regulations on the management of packaging and packaging waste and waste.

(Contd. on page 12)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 11)

### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

### · Hazard pictograms





GHS05 GHS07

#### · Signal word Danger

### · Hazard-determining components of labelling:

calcium dihydroxide

#### · Hazard statements

H314 Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

### · Precautionary statements

P101	If medical advice is needed	l. have product	container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

#### · Directive 2004/42/EC

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

# · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

### · REGULATION (EU) 2019/1148

# · Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 13)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 12)

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

 $\cdot$  Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H290 May be corrosive to metals.

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

#### · Recommended restriction of use

Claims contained in this document are based on our actual knowledge at the time of revision of this document. They do not undertake the properties of the product described in terms of the legal provisions for the pledge.

Placing this document as available does not unbind the product customer from its responsibility to comply with all relevant laws and regulations applicable for this product. This is especially valid in the case of product resale or resale of its mixtures or manufactured products from other areas of law and industrial property rights of third parties. If the product described above is changed by crafting or mixing with other materials, it is not possible to transfer claims from this document onto a newly made product, unless otherwise specified. In the case of product re-packaging the customer must attach the required relevant safety information as well.

# · Department issuing SDS:

JUB d.o.o.

Product safety department

(Contd. on page 14)

Revision: 23.02.2023 Version number 3 Date of the first version: 12.11.2018

Trade name: JUPOL Denikol

(Contd. of page 13)

#### · Contact:

Laura Učakar

laura.ucakar@jub.eu

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

#### \* Data compared to the previous version altered.

-GB