



**CERTIFICATE OF QUALITY**Page: 1/1  
Date of issue: April 14<sup>th</sup>, 2010

<b>1. PRODUCT NAME</b>
<b>HIDROZOL Cementitious Protective and Waterproofing Coating</b>
<b>2. GENERAL DESCRIPTION</b> Cementitious, ready-mixed powder, which is mixed with water to form a dense, waterproof surface barrier.
<b>3. COMPOSITION</b> Cement, redispersible powder, cellulose ether, extenders, special additives.
<b>4. PHYSICAL AND CHEMICAL PROPERTIES</b>
4.1. APPEARANCE : powder
4.2. COLOUR : grey
4.3. DENSITY ( kg/m <sup>3</sup> /20°C ) : app. 1180
4.4. FLASH POINT : /
4.5. ADHESION TO CONCRETE ( N/mm <sup>2</sup> ) : > 0,80( EN 1542 )
4.6. POSITIVE SIDE WATERPROOFING : no water penetration ( EN 14891 )
4.7. NEGATIVE SIDE WATERPROOFING : no water penetration ( OER, točka 12.7 )
<b>5. HAZARDS IDENTIFICATION</b> This product is classified as HAZARDOUS according to EC-directive EU 1999/45/EC. <b>Xi</b> , IRRITANT, contains cement.
<b>6. TEST REPORTS</b> ZAG Ljubljana, Report P 96/06 – 410 – 16 , 04.04.2007 ZZV Maribor , Statement of Conformity 09/10354 , 20.07.2009
<b>7. The document was issued with the intention to prove the quality of the product according to specific requirements.</b>
<p>R&amp;D Coordination Manager Damjan Saksida, B. Sc. Chem. Techn.</p> 
 <p>JUB d.o.o. Dol pri Ljubljani 28 SI-1262 Dol pri Ljubljani Slovenija</p>